

## *Annual River Data for DNR*

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
1/1/2013	449.7	0	389.7	49745	355	286	17480	256	256
1/2/2013	449.7	0	389.7	49773	365	288	17480	256	256
1/3/2013	453.8	0	393.8	49857	359	311	17480	258	258
1/4/2013	455.1	0	395.1	49773	382	325	17480	257	257
1/5/2013	453.8	0	393.8	49717	413	324	17480	292	292
1/6/2013	453.8	0	393.8	49717	410	341	17480	289	289
1/7/2013	456.5	0	396.5	49717	427	353	17480	288	288
1/8/2013	455.1	0	395.1	49662	445	358	17480	288	288
1/9/2013	455.1	0	395.1	49606	379	358	17480	291	291
1/10/2013	448.4	0	388.4	49634	395	361	17640	291	291
1/11/2013	452.4	0	392.4	49689	399	350	17640	299	299
1/12/2013	459.2	0	399.2	49578	369	267	17480	295	295
1/13/2013	461.9	0	401.9	49494	387	271	17480	290	290
1/14/2013	505	0	445	49550	387	2.11	17480	283	283
1/15/2013	541	0	463	49606	401	325	17480	291	291
1/16/2013	545.4	0	485.4	49662	410	327	17480	292	292
1/17/2013	545.4	0	485.4	49801	400	345	17480	292	292
1/18/2013	533.7	0	473.7	49801	393	341	17480	291	291

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
1/19/2013	539.5	0	479.5	49745	402	348	17480	295	295
1/20/2013	548.3	0	488.3	49773	385	341	17480	287	287
1/21/2013	542.4	0	482.4	49885	390	350	17480	291	291
1/22/2013	538.1	0	478.1	49913	392	350	17640	286	286
1/23/2013	541	0	481	49968	412	347	17480	293	293
1/24/2013	541	0	481	49968	395	350	17480	287	287
1/25/2013	538.1	0	478.1	49968	407	345	17480	292	292
1/26/2013	505	0	445	49996	400	345	17480	292	292
1/27/2013	543.9	0	483.9	50024	390	347	17480	291	291
1/28/2013	542.4	0	482.4	50080	385	347	17480	289	289
1/29/2013	546.8	0	486.8	50164	382	324	17480	287	287
1/30/2013	545.4	0	485.4	50192	383	347	17480	293	293
1/31/2013	523.6	0	472	50164	385	350	17480	280	280
2/1/2013	522.1	0	462	50108	380	347	17480	299	299
2/2/2013	503.6	0	443.6	50052	370	347	17480	291	291
2/3/2013	505	0	445	49968	363	350	17480	301	301
2/4/2013	503.6	0	443.6	49968	403	355	17480	293	293
2/5/2013	502.2	0	442.2	49941	431	345	17480	290	290
2/6/2013	503.6	0	443.6	49913	426	347	17480	289	289
2/7/2013	503.6	0	443.6	49913	423	347	17480	292	292

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
2/8/2013	503.6	0	443.6	49829	408	336	17480	287	287
2/9/2013	461.9	0	401.9	49968	409	346	17480	291	291
2/10/2013	463.3	0	403.3	49913	392	348	17480	292	292
2/11/2013	466	0	406	49801	391	341	17480	292	292
2/12/2013	463.3	0	403.3	49829	381	341	17480	286	286
2/13/2013	463.3	0	403.3	49773	365	341	17480	291	291
2/14/2013	464.6	0	404.6	49717	375	336	17480	292	292
2/15/2013	464.6	0	404.6	49689	387	336	17480	286	286
2/16/2013	460.5	0	400.5	49662	388	350	17480	291	291
2/17/2013	459.2	0	396	49578	382	347	17480	290	290
2/18/2013	459.2	0	399.2	49550	381	347	17480	291	291
2/19/2013	463.3	0	403.3	49466	393	345	17480	291	291
2/20/2013	461.9	0	401.9	49466	410	355	17480	287	287
2/21/2013	464.6	0	404.6	49550	400	336	17480	293	293
2/22/2013	460.5	0	400.5	49606	385	347	17480	292	292
2/23/2013	459.2	0	399.2	49606	405	350	17480	292	292
2/24/2013	459.2	0	399.2	49606	408	350	17480	290	290
2/25/2013	464.6	0	404.6	49578	394	355	17480	286	286
2/26/2013	461.9	0	401.9	49550	385	336	17480	290	290
2/27/2013	460.5	0	400.5	49494	401	350	17480	290	290

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
2/28/2013	459.2	0	399.2	49494	411	345	17480	291	291
3/1/2013	456.5	0	396.5	49466	401	347	17480	287	287
3/2/2013	452.4	0	392.4	49466	388	345	17480	296	296
3/3/2013	451.1	0	391.1	49383	400	345	17480	296	296
3/4/2013	453.8	0	393.8	49355	396	345	17480	291	291
3/5/2013	456.5	0	396	49300	406	347	17480	291	291
3/6/2013	455.1	0	395.1	49244	425	355	17480	286	286
3/7/2013	447	0	387	49216	367	347	17160	292	292
3/8/2013	447	0	387	49244	369	350	17480	296	296
3/9/2013	452.4	0	392.4	49327	367	336	17480	292	292
3/10/2013	459.2	0	399.2	49216	375	355	17480	292	292
3/11/2013	448.4	0	388.4	49161	384	341	17480	294	294
3/12/2013	452.4	0	392.4	49188	400	345	17480	294	294
3/13/2013	451.1	0	391.1	49244	411	347	17480	292	292
3/14/2013	448.4	0	388.4	49188	413	608	17480	292	292
3/15/2013	412.2	0	341.2	49105	416	347	17480	292	292
3/16/2013	319	0	259	48883	351	347	17160	293	293
3/17/2013	286	0	226	48855	288	247	17160	289	289
3/18/2013	195.1	0	135.1	48661	179	189	17480	0	0
3/19/2013	155.8	0	95.8	48495	90	121	17480	0	0

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
3/20/2013	0	0	61.1	48246	10	40	17480	0	0
3/21/2013	0	0	0	47970	0	10	17480	0	0
3/22/2013	0	0	0	47668	0	9	17160	0	0
3/23/2013	0	0	0	47365	0	8	17000	0	0
3/24/2013	0	0	0	47036	0	8	17000	0	0
3/25/2013	0	0	0	46707	25	0	16840	0	0
3/26/2013	0	0	0	46407	25	0	16680	0	0
3/27/2013	0	0	0	46134	25	0	16520	0	0
3/28/2013	135	0	75	45944	10	7	16360	0	0
3/29/2013	177.2	0	137.2	45917	120	6	15735	271	271
3/30/2013	256	0	196	45862	140	30	15270	272	272
3/31/2013	382.2	0	322.2	45890	283	102	14650	271	271
4/1/2013	509.2	0	449.2	45835	347	197	14650	274	274
4/2/2013	576.6	0	516.6	45944	444	346	14505	441	441
4/3/2013	650.8	0	590.8	45890	515	407	13925	638	638
4/4/2013	730.8	0	670.8	45971	635	484	13490	643	643
4/5/2013	861.1	0	801.1	46134	713	578	13345	694	694
4/6/2013	1227.5	0	1167.5	45564	1025	869	13060	738	738
4/7/2013	1344	0	1284	45157	1262	1053	13200	979	979
4/8/2013	1523.1	0	1463.1	44725	1504	1192	13200	1243	1243

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
4/9/2013	1639.1	0	1579.1	44133	1671	1385	13200	1243	1243
4/10/2013	1749.1	0	1741	43009	1758	1503	13060	1654	1654
4/11/2013	1726.9	0	1719	43623	1672	1629	13060	1659	1659
4/12/2013	1724.4	0	1664.4	43596	1673	1623	13200	1659	1659
4/13/2013	1712.1	0	1652.1	4047.62	1677	1631	13490	1440	1440
4/14/2013	1731.8	0	1671.8	43356	1675	1631	13780	1437	1437
4/15/2013	1707.2	0	1647.2	43196	1377	1629	14070	1431	1431
4/16/2013	1751	73	1764	43169	1677	1644	14505	1415	1415
4/17/2013	1704.7	110	1754.7	43062	1660	1631	14805	1411	1411
4/18/2013	1699.8	93	1732.8	42849	1658	1628	15115	1410	1410
4/19/2013	1699.8	145	1784.8	42689	1670	1644	15580	1408	1408
4/20/2013	1697.4	145	1782.4	42636	1674	1623	15890	1405	1405
4/21/2013	1692.5	96	1728.5	42424	1680	1644	16200	1404	1404
4/22/2013	1685.2	96	1721.2	42583	1672	1644	16520	1401	1401
4/23/2013	1653.6	145	1770.2	42424	1656	1634	17000	1401	1401
4/24/2013	1577.1	145	1662.1	42822	1552	1532	17480	1397	1397
4/25/2013	1315.5	80	1335.5	43730	1334	1311	17640	1207	1207
4/26/2013	1223.3	4.5	1167.8	44725	1046	1030	17965	1016	1016
4/27/2013	1061.7	39	1045	45537	763	716	17480	774	774
4/28/2013	901.2	0	851	46162	600	538	17480	741	741

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
4/29/2013	764.6	0	753	46516	550	483	17480	448	448
4/30/2013	662	0	602	46626	550	475	17480	449	449
5/1/2013	496.5	0	436.5	46817	470	425	17480	346	346
5/2/2013	470.1	0	410.1	46626	385	386	17640	286	286
5/3/2013	444.4	0	384.4	46626	362	355	17640	272	272
5/4/2013	447	0	387	46544	352	312	17640	276	276
5/5/2013	447	0	387	46544	363	312	17800	274	274
5/6/2013	441.7	0	381.7	46462	363	305	17640	282	282
5/7/2013	439	0	379	46516	366	325	17640	279	279
5/8/2013	435	0	375	46489	364	305	17640	270	270
5/9/2013	435	0	375	46353	355	305	17480	273	273
5/10/2013	437.7	0	377.7	46407	360	305	17480	275	275
5/11/2013	439	0	379	46325	350	305	17480	279	279
5/12/2013	436.4	0	376.4	46216	343	305	17480	280	280
5/13/2013	436.4	0	376.4	46216	341	319	17480	279	279
5/14/2013	452.4	0	392.4	46107	354	316	17160	276	276
5/15/2013	490.9	0	430.9	46080	388	327	17480	266	266
5/16/2013	503.6	0	443.6	46080	384	327	17480	271	271
5/17/2013	506.4	0	446.4	46134	388	345	17480	271	271
5/18/2013	515	0	455	46271	391	341	17480	274	274

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
5/19/2013	517.8	0	457.8	46489	390	336	17480	270	270
5/20/2013	611.6	0	551.6	46653	390	345	17480	325	325
5/21/2013	714.1	0	654.1	46380	487	435	17480	271	271
5/22/2013	712.5	0	652.5	46243	559	529	17640	400	400
5/23/2013	757.8	0	697.8	46216	608	532	17800	406	406
5/24/2013	754.4	0	694.4	46762	536	473	17965	412	412
5/25/2013	702.6	0	643	47255	390	355	17965	274	274
5/26/2013	700.9	0	640.9	47750	369	317	17800	273	273
5/27/2013	704.2	0	644.2	48136	360	305	17800	273	273
5/28/2013	707.5	0	647.5	48883	350	319	17800	274	274
5/29/2013	597.8	0	537.8	49522	357	305	17800	273	273
5/30/2013	493.7	0	433.7	49745	373	319	17800	273	273
5/31/2013	489.5	0	429.5	49522	393	293	17640	274	274
6/1/2013	525	0	447	49411	372	2.11	17640	274	274
6/2/2013	523.6	0	466	49411	364	311	17480	273	273
6/3/2013	522.1	0	464	49466	372	316	17480	272	272
6/4/2013	472.9	0	415	49606	298	281	17480	273	273
6/5/2013	427.1	0	367.1	49578	260	214	17480	136	136
6/6/2013	425.8	0	365.8	49578	305	205	17480	136	136
6/7/2013	423.2	0	363.2	49494	309	195	17480	136	136



<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
6/8/2013	478.4	0	418.4	49411	420	273	17640	140	140
6/9/2013	602.4	0	542.4	49327	540	360	17640	342	342
3/10/2013	610.1	0	550.1	49466	500	396	17640	342	342
3/11/2013	709.1	0	649.1	49327	564	425	17480	343	343
3/12/2013	991.4	0	931.4	48966	793	561	17480	551	551
3/13/2013	1119.8	0	1059.8	48578	922	741	17160	786	786
3/14/2013	1272.3	0	1212.3	48081	1147	937	17480	983	983
3/15/2013	1617.5	0	1557.5	48026	1205	1192	17640	1092	1092
3/16/2013	1704.7	0	1644.7	48246	1252	1235	17800	1093	1093
3/17/2013	1697.4	0	1637.4	48606	1263	1238	17965	1102	1102
3/18/2013	1695	0	1635	49494	1170	1113	18130	1103	1103
3/19/2013	1695	0	1636	50360	1058	1000	18460	871	871
3/20/2013	1644	0	1584	51287	1025	939	18460	876	876
3/21/2013	1499.8	0	1439.8	51993	975	0	18295	860	860
3/22/2013	1350.7	0	1290.7	52818	926	0	18130	872	872
3/23/2013	1200.2	0	1140.2	53389	850	857	18130	700	700
3/24/2013	1246.6	0	1186.6	53848	830	717	17965	702	702
3/25/2013	1302.5	0	1242.5	54279	780	723	17965	695	695
3/26/2013	1298.2	0	1238.2	55087	850	723	17800	696	696
3/27/2013	1346.2	0	1286.2	55319	900	757	17160	698	698

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
3/28/2013	1490.6	0	1430.6	54423	1175	984	17160	927	927
3/29/2013	1588.9	0	1528.9	53848	1325	1214	17480	1160	1160
3/30/2013	1634.3	0	1574.3	53303	1431	1366	17480	1340	1340
7/1/2013	1675.4	0	1615.4	52647	1521	1452	17480	1511	1511
7/2/2013	1663.3	0	1603.3	51937	1600	1551	17160	1628	1628
7/3/2013	1682.8	0	1622.8	51428	1683	1654	17160	1606	1606
7/4/2013	1685.2	0	1625.2	50921	1666	1654	17160	1595	1595
7/5/2013	1677.9	0	1617.9	50865	1641	1624	17160	1595	1595
7/6/2013	1680.3	0	1620	50472	1612	1577	17480	1478	1478
7/7/2013	1682.8	0	1622	50136	1600	1551	17480	1478	1478
7/8/2013	1675.4	0	1619	49913	1600	1533	17480	1476	1476
7/9/2013	1670.6	0	1612	49466	1600	1493	17480	1475	1475
7/10/2013	1673	0	1613	49188	1574	1531	17480	1477	1477
7/11/2013	1665.7	0	1605.7	49216	1510	1493	17640	1392	1392
7/12/2013	1673	0	1613	49049	1477	1426	17640	1340	1340
7/13/2013	1675.4	0	1615.4	48883	1430	1454	17800	1339	1339
7/14/2013	1677.9	0	1617.9	48357	1430	1496	17800	1440	1440
7/15/2013	1682.8	0	1622.8	48164	1542	1523	17800	1472	1472
7/16/2013	1786.5	0	1726.5	47888	1530	1486	17640	1474	1474
7/17/2013	1690.1	0	1630.1	47723	1526	1503	17640	1476	1476

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
7/18/2013	1687.6	0	1627.6	47448	1522	1487	17480	1478	1478
7/19/2013	1687.6	0	1627.6	47255	1526	1494	17480	1478	1478
7/20/2013	1690.1	0	1630.1	47063	1537	1495	17480	1469	1469
7/21/2013	1690.1	0	1630.1	46981	1547	1495	17480	1481	1481
7/22/2013	1692.5	0	1632.5	47255	1489	1442	17640	1455	1455
7/23/2013	1692.5	0	1632.5	47091	1411	1368	17480	1346	1346
7/24/2013	1695	0	1635	46981	1433	1380	17480	1355	1355
7/25/2013	1695	0	1636	46162	1525	1452	17480	1394	1394
7/26/2013	1695	0	1635	45890	1561	1500	17640	1490	1490
7/27/2013	1695	0	1635	45645	1590	1559	17640	1488	1488
7/28/2013	1692.5	0	1632.5	45320	1583	1531	17640	1490	1490
7/29/2013	1695	0	1635	45103	1565	1536	17640	1490	1490
7/30/2013	1692.5	0	1632.5	44914	1530	1492	17800	1489	1489
7/31/2013	1690.1	0	1630.1	44671	1498	1490	17640	1487	1487
8/1/2013	1511.4	0	1451.4	44995	1360	1467	17640	1485	1485
8/2/2013	1259.4	0	1199.4	45238	1181	1259	17800	1193	1193
8/3/2013	1179.3	0	1119.3	45428	1142	1070	17800	984	984
8/4/2013	1154.5	0	1094.5	45347	1015	971	17800	862	862
8/5/2013	1146.3	0	1086.3	45482	932	899	17800	820	820
8/6/2013	1150.4	0	1090.4	45401	890	852	17800	821	821

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
8/7/2013	1152.5	0	1092.5	45320	852	820	17800	822	822
8/8/2013	1171	0	1111	45238	856	804	17800	822	822
8/9/2013	1185.5	0	1125.5	45157	853	827	17800	822	822
3/10/2013	1152.5	0	1108	44995	864	804	17640	825	825
3/11/2013	1152.5	0	1092.5	44806	875	820	17640	826	826
3/12/2013	1162.7	0	1102.7	44671	875	815	17640	825	825
3/13/2013	1171	0	1111	44106	988	896	17480	881	881
3/14/2013	1168.9	0	1108.9	43356	1100	1037	17480	1025	1025
3/15/2013	1225.4	0	1165.4	42663	1105	1080	17480	1036	1036
3/16/2013	1223.3	0	1163.3	42079	1097	1080	17480	1037	1037
3/17/2013	1216.9	0	1156.9	41498	1086	1048	17480	1035	1035
3/18/2013	1214.8	0	1154.8	40998	1089	1073	17640	1036	1036
3/19/2013	1248.7	0	1188.7	40055	1086	1070	17640	1038	1038
3/20/2013	1280.9	0	1220.9	39560	1080	1067	17640	1039	1039
3/21/2013	1095.6	0	1035.6	39171	1081	1067	17640	1040	1040
3/22/2013	1326.5	0	1266.5	38009	1237	1221	17480	1096	1096
3/23/2013	1440.2	0	1380.2	37752	1351	1325	17480	1414	1414
3/24/2013	1555.8	0	1495.8	37317	1427	1390	17480	1359	1359
3/25/2013	1558.2	0	1498.2	37011	1382	1366	17480	1323	1323
3/26/2013	1451.6	0	1391.6	36934	1340	1325	17640	1276	1276

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
3/27/2013	1451.6	0	1391.6	36705	1315	1298	17640	1229	1229
3/28/2013	1451.6	0	1390	36654	1305	1253	17640	1229	1229
3/29/2013	1447.1	0	1387.1	36578	1300	1241	17640	1232	1232
3/30/2013	1447.1	0	1387.1	36883	1234	1210	17640	1233	1233
3/31/2013	1447.1	0	1387.1	37470	1111	1073	17640	1172	1172
9/1/2013	1459.3	0	1399.3	38240	952	899	17480	978	978
9/2/2013	1459.3	0	1399.3	38937	845	813	17480	751	751
9/3/2013	1459.3	0	1379.3	39664	842	819	17480	751	751
9/4/2013	1447.1	0	1387.1	40578	799	782	17640	752	752
9/5/2013	1424.4	0	1384.4	41920	650	661	17640	630	630
9/6/2013	1335.2	0	1275.2	43222	525	489	17480	493	493
9/7/2013	1272.3	0	1212.3	44402	494	462	17480	484	484
9/8/2013	1208.5	0	1148.5	45320	485	449	17160	470	470
9/9/2013	1022.4	0	962.4	46489	318	378	17000	471	471
9/10/2013	897.5	0	837.5	47805	0	185	17000	255	255
9/11/2013	886.5	0	826.5	49355	0	39	17000	0	0
9/12/2013	785.2	0	1227.3	50444	0	265	16840	0	0
9/13/2013	702.6	0	642.6	51371	0	0	16680	0	0
9/14/2013	660.4	0	600.4	52391	0	0	16520	0	0
9/15/2013	610.1	0	550.1	53246	0	0	16360	0	0

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
9/16/2013	412.2	0	421	53705	0	0	16200	0	0
9/17/2013	60	0	60	53647	0	0	16045	0	0
9/18/2013	60	0	60	53619	0	4	16045	0	0
9/19/2013	60	492	537	53332	100	4	14505	386	386
9/20/2013	60	564	609	53561	300	64	13925	771	771
9/21/2013	60	415	460	53848	365	231	14215	0	0
9/22/2013	60	339	384	53762	320	260	14505	0	0
9/23/2013	60	320	365	53647	300	233	14960	0	0
9/24/2013	0	308	308	53676	220	142	15115	0	0
9/25/2013	0	315	255	53877	110	70	15115	0	0
9/26/2013	0	365	305	54135	0	7	14960	0	0
9/27/2013	0	269	209	54337	0	6	14960	0	0
9/28/2013	0	160	100	54164	0	5	14805	0	0
9/29/2013	0	130	70	54049	0	5	14505	695	695
9/30/2013	0	104	44	53819	0	109	12920	502	502
10/1/2013	0	80	20	53705	0	816	12080	670	670
10/2/2013	0	70	50	53561	0	3	11670	672	672
10/3/2013	0	79	49	53418	0	2	10500	324	324
10/4/2013	0	107	47	53332	0	0	10500	0	0
10/5/2013	0	102	42	52960	0	1	10375	0	0

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
10/6/2013	0	80	20	52761	0	1	9500	0	0
10/7/2013	0	72	52	52590	0	0.4	10125	0	0
10/8/2013	0	69	49	52504	0	0.4	10000	0	0
10/9/2013	0	63	43	52391	0	1	9875	0	0
0/10/201:	0	54	54	52476	0	2	9875	0	0
0/11/201:	0	45	45	52192	0	1	9750	0	0
0/12/201:	0	38	38	51880	0	0	9625	0	0
0/13/201:	0	0	0	51626	0	0	9625	0	0
0/14/201:	0	0	0	51541	0	0	9625	0	0
0/15/201:	0	0	0	51202	0	0	9500	0	0
0/16/201:	0	0	0	51005	0	0	9500	0	0
0/17/201:	0	0	0	50752	0	0	9375	0	0
0/18/201:	0	0	0	50556	0	0	9375	0	0
0/19/201:	0	0	0	50248	0	0	9250	0	0
0/20/201:	0	0	0	50024	0	0	9250	0	0
0/21/201:	0	201	141	49773	0	0	9250	0	0
0/22/201:	0	201	201	49662	0	0	9135	0	0
0/23/201:	0	199	199	49634	0	0	9135	0	0
0/24/201:	0	187	187	49745	0	0	9135	0	0
0/25/201:	0	173	173	49745	0	0	9020	0	0

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
0/26/201:	0	162	162	49801	0	0	9020	0	0
0/27/201:	0	148	148	49689	0	0	8905	0	0
0/28/201:	0	120	120	49606	0	0	8905	0	0
0/29/201:	0	60	60	49550	0	0	8905	0	0
0/30/201:	0	7	7	49439	0	0	8790	0	0
0/31/201:	0	5.5	5.5	49300	0	0	8790	0	0
11/1/2013	0	0	0	49022	0	0	8675	0	0
11/2/2013	0	0	0	48661	0	0	8675	0	0
11/3/2013	0	0	0	48467	0	0	8560	0	0
11/4/2013	0	0	0	48246	0	0	8560	0	0
11/5/2013	0	0	0	48219	0	0	8560	0	0
11/6/2013	0	0	0	47860	0	0	8560	0	0
11/7/2013	0	0	0	47640	0	0	8560	0	0
11/8/2013	0	0	0	47530	0	0	8445	0	0
11/9/2013	0	0	0	47420	0	0	8445	0	0
1/10/201:	0	0	0	47118	0	0	8330	0	0
1/11/201:	0	0	0	47173	0	0	8330	0	0
1/12/201:	0	0	0	46817	0	0	8330	0	0
1/13/201:	0	0	0	46489	0	0	8215	0	0
1/14/201:	0	0	0	46189	0	0	8215	0	0



<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
1/15/201:	0	0	0	45944	0	0	8100	0	0
1/16/201:	0	0	0	45835	0	0	7990	0	0
1/17/201:	0	0	0	45645	0	0	7990	0	0
1/18/201:	0	0	0	45374	0	0	7880	0	0
1/19/201:	0	0	0	45049	0	0	7880	0	0
1/20/201:	0	0	0	44968	0	0	7770	0	0
1/21/201:	0	0	0	44887	0	0	7770	0	0
1/22/201:	0	0	0	44509	150	0	7660	0	0
1/23/201:	314	0	254	41920	250	100	7770	0	0
1/24/201:	368.6	0	200	43062	375	295	8560	0	0
1/25/201:	467.4	0	350	43062	450	404	9135	0	0
1/26/201:	513.5	0	453.5	43035	450	361	9750	0	0
1/27/201:	582.6	0	522.6	43169	450	363	10250	0	0
1/28/201:	582.6	0	522.6	43516	421	365	10760	0	0
1/29/201:	585.6	0	525.6	43784	423	368	11280	0	0
1/30/201:	585.6	0	525.6	43998	425	368	11800	0	0
12/1/2013	587.2	0	527.2	44240	426	386	12360	0	0
12/2/2013	549.8	0	489.8	44563	423	368	12780	0	0
12/3/2013	459.2	0	399.2	44617	400	368	13345	0	0
12/4/2013	448.4	0	388.4	44689	398	302	13925	0	0

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
12/5/2013	407.6	0	347.6	44752	342	279	14360	0	0
12/6/2013	378.5	0	318.5	44833	279	229	14650	0	0
12/7/2013	334.9	0	274.9	44968	233	224	14805	0	0
12/8/2013	428.4	0	368.4	45130	268	238	15115	0	0
12/9/2013	421.9	0	361.9	45157	271	231	15425	0	0
2/10/201:	367.4	0	307.4	45266	257	227	15735	0	0
2/11/201:	304.9	0	244.9	45238	271	244	16045	0	0
2/12/201:	314	0	254	45103	255	219	16200	0	0
2/13/201:	336.1	0	263	45184	225	188	16360	0	0
2/14/201:	327.8	0	267.8	45211	225	147	16520	0	0
2/15/201:	333.7	0	273.7	45211	225	144	16680	0	0
2/16/201:	327.8	0	267.8	45428	175	130	16840	0	0
2/17/201:	330.2	0	270.2	45537	125	102	16200	401	401
2/18/201:	329	249	518	45781	118	68	16200	0	0
2/19/201:	276.2	254	470.2	46134	130	38	16200	0	0
2/20/201:	226.5	263	429.5	46271	170	59	16200	0	0
2/21/201:	204.4	327	471.4	46325	180	118	16360	0	0
2/22/201:	204.4	327	471.4	46544	170	118	16520	0	0
2/23/201:	205.3	312	457.3	46544	200	118	16520	0	0
2/24/201:	201	308	415	46653	215	170	16680	0	0

<i>Date</i>	<i>Keystone Div Avg Flow</i>	<i>Korty Div avg Flow</i>	<i>Sutherland Reservoir Avg Inflow</i>	<i>Sutherland Reservoir Storage</i>	<i>Sutherland Reservoir Outflow</i>	<i>Maloney Inflow</i>	<i>Malnoey Storage</i>	<i>Maloney Outflow</i>	<i>NPH Discharge</i>
2/25/201:	199.7	327	466.7	46653	195	144	16840	0	0
2/26/201:	201	358	465	46735	175	142	16840	0	0
2/27/201:	202.5	303	445.5	46653	190	181	16520	410	410
2/28/201:	205.3	280	449	46653	250	128	16680	0	0
2/29/201:	201	273	428	46571	250	140	16840	0	0
2/30/201:	163.4	263	366.4	46489	250	180	17000	0	0
2/31/201:	132.6	399	342	46462	250	181	17160	0	0